



South Asian Journal of Agricultural Sciences

E-ISSN: 2788-9297

P-ISSN: 2788-9289

<https://www.agrijournal.org>

SAJAS 2023; 3(2): 01-04

Received: 06-04-2023

Accepted: 03-05-2023

Tomar Deepa

Assistant Professor, Faculty of
Agricultural Sciences, SAGE
University, Indore, Madhya
Pradesh, India

Bhadoria Suraj Singh

Assistant Professor,
Department of Homoeopathic
Pharmacy, Parul Institute of
Homoeopathy and Research,
Parul University, Vadodara,
Gujarat, India

Correspondence Author:

Tomar Deepa

Assistant Professor, Faculty of
Agricultural Sciences, SAGE
University, Indore, Madhya
Pradesh, India

A review of mulching as a sustainable water and soil conservation practice in agriculture

Tomar Deepa and Bhadoria Suraj Singh

Abstract

India being a horticulture nation ought to have a decent regard towards protection methodologies particularly of water. As of now we are experiencing an incredible pressure of water shortage. Every single drop of water is significant as far as we're concerned yet tragically in light of inconsiderateness, we frequently squander enormous measure of water. One of such practices is finished and over the top water system. Mulching is a dirt and water rationing and weed administration practice through soil solarisation additionally in which any reasonable material is utilized to spread over the ground between columns of harvests or around the tree trunks. This training assists with holding soil dampness, forestalls weed development furthermore, improves soil structure. There are different kinds of mulching, for example, surface mulching, vertical mulching, polythene mulching, stone mulching, dust mulching live vegetative hindrances, straw mulching and so forth. Mulching ends up being recipient however increase in soil dampness, decrease in soil disintegration, upkeep of soil temperature and so forth. It helps in make do in soil structure, soil ripeness furthermore, soil natural system. However likewise mulching is enjoying many benefits it shows a few restrictions as it might hold onto some nuisances and sicknesses. It isn't the case considerable in wet circumstances. It is tad challenging to get in any event, mulching on steep terrains. Some grass species utilized as mulch can root and turn into a weed issue. The current survey manages the conversation of each and every part of mulching and how it makes recipient difference.

Keywords: Mulching, soil dampness, soil temperature, soil ripeness

Introduction

70% of all water consumption is used by agriculture, making it the largest water user in the world. Rainfed agriculture, which provides 60–70% of the world's food, accounts for 80% of all farmed area, according to Chen *et al.* [1]. As a result of rising drought, rainfed agriculture is becoming more and more popular worldwide for assisting in food production conditions. Climate change and altered rainfall patterns that lower agricultural output in dry or semi-arid countries are the main contributors to water scarcity [2]. Water management and conservation in the agricultural sector are now difficult due to this. Additionally, the stress on dry land farming's rainfed agriculture makes more effective use of water-saving technologies necessary [3]. Water accessibility, availability, and precipitation are the key variables limiting agricultural output in dry and semi-arid regions [4, 5]. As a result of the major effects that climate change is having on agricultural systems, this problem is become more serious [6]. A threat to the sustainability of agriculture in dryland areas is the wasteful use of precious water, coupled with drought or heat stress during cropping seasons [7]. Severe soil dryness caused by climate change and conditions. Climate change and altered rainfall patterns that lower agricultural output in dry or semi-arid countries are the main contributors to water scarcity [2]. Water in the soil is no longer sufficient for crop growth as a result of water management and conservation in agriculture [8-11].

Types of Mulching Materials

Natural, inorganic, and unique materials are the three sorts of mulching materials. Rural squanders, wood modern squanders, handled extras, and creature fertilizers are utilized to make natural mulching materials. Polyethylene plastic movies and engineered polymers are instances of inorganic mulching materials [24]. A few creative biodegradable and photodegradable plastic movies, as well as surface covering and biodegradable polymer films for simplicity of execution and adaptability, were additionally presented as biologically agreeable materials [15].

1. Organic Mulches.
2. Straw.
3. Bark Mulches.
4. Wood Chips.
5. Sawdust.
6. Compost.
7. Newspaper.
8. Inorganic Mulches.
9. Photodegradable or Biodegradable Mulches.

Natural Mulch

A natural mulch is comprised of regular substance like bark, wood chips, pine needles, dry grasses, paddy straw, dry leaves, saw dust, grass cutting, and so forth. Yet, natural mulch draws in bugs, slugs and the cutworms that eat them. They get decayed effectively and need regular substitutions.

Grass Cutting: This is one of the most plentifully and without any problem accessible mulch materials the nation over. It gives nitrogen to the dirt, whenever consolidated new. Be that as it may, application of green grass in stormy season might result into the turn of events of its own underground root growth which will be unfavourable to plant development. Consequently, utilization of dry grass as mulch material is recommended.

Straw: Paddy and wheat straw are the commonest mulching materials utilized for leafy foods creation. However straw is poor in supplement esteem yet after deterioration, it makes soil more ripe. Among natural mulching materials, straw has a long life in contrast with other mulches (grasses, leaves and leaf shape).

Paper: Paper mulching assists with controlling weeds. One to two cm thick sheet of paper ought to be utilized and edges thought to be secured with materials like stones, rock, and so forth. The utilization of paper mulch ought to be kept away from on a blustery day.

Dry leaves: Leaves, an effectively accessible material, are great for mulching. However leaves are great for safeguarding torpid plants during winter by keeping them warm and dry yet due to lightweight they might be blown away even by light wind. To counter this issue, it requires securing which should be possible with stones, chipped bark and covering with net or some type of sheet.

Bark clippings: These are great mulch materials as they are durable and permit legitimate air circulation to the dirt under. Hardwood bark clippings contain a bigger number of supplements than softwood be that as it may, bark clippings are not effectively and plentifully accessible, and some bark items might cause phytotoxicity.

Saw dust: Saw dust, got during completing activity of wood, is exceptionally poor in nutritive worth as it contains just around 50% of the supplements of straw. It deteriorates gradually. Being acidic in nature, it ought not to be utilized in acidic soils.

Fertilizer: The manure is one of the most incredible mulch materials. It increments microbial populace, further develops the dirt design and gives nutrient.

Inorganic Mulch Material

Rock, Rocks and Squashed stones: These materials are utilized for perpetual harvests. Little stone Layer of 3-4 cm gives great weed control. Be that as it may, they reflect sun oriented radiation and can make an extremely sweltering soil climate during summer.

Plastic mulch

Both, dark and straightforward movies are for the most part utilized for mulching. Progression in plastic science has come about in improvement of movies with optical properties that are great for an explicit yield in a given area. Horticulturists need to grasp the ideal above and subterranean climate of a specific harvest before the utilization of plastic mulch. These are two sorts.

Photograph degradable plastic mulch: This sort of plastic mulch film gets obliterated by daylight in a more limited period.

Bio-degradable plastic mulch: This type of plastic mulch film is handily corrupted in the soil throughout some stretch of time.

Shade of film: Soil climate can be managed precisely by an appropriate choice of plastic mulch composition, variety and thickness. Films are available in assortment of varieties including black, transparent, white, silver, blue red, and so on. Be that as it may, the selection of the shade of plastic mulch film depends on unambiguous targets. By and large, the following sorts of plastic mulch films are used in plant crops ^[23].

Functions of mulching

There are following values of mulching in regards to improving soil nourishment, such as; Mulching further develops soil properties, soil dampness accessibility, and soil efficiency ^[14]. These impacts are summed up in Figure 5. Mulching in crop fields has various advantages, counting decreased soil water misfortune, weed germination, soil disintegration, and water drop dynamic energy ^[16, 17]. Mulch can assist with further developing soil design and increment night crawler development ^[18]. It likewise brings down the pH of the dirt, expanding the accessibility of supplements Subsequent to separating, natural mulch gives supplements to the dirt and lifts the accessibility of supplements in the dirt for a more drawn out timeframe ^[13]. Plastic mulches can essentially further develop soil wellbeing and bug the board ^[12]. Thus, it assists with forestalling

Compost from filtering and keeps supplements near the plants' underlying foundations so they can be utilized really. The mulched scene has a really engaging consistency of appearance ^[1]. Moreover, the propriety of soil dampness and temperature can change over the course of a yield's development cycle. At the point when natural mulch deteriorates in the dirt, the dirt's natural substance improves rapidly, which works on the dirt's capacity to hold water ^[19]. Since mulches decline dissipation, more dampness is available close to the plant roots, stretching out the ideal opportunity for plants to assimilate water. Thus, mulched regions require less water ^[20]. Both natural and biodegradable plastic mulches ultimately breakdown or lift supplements to the dirt's surface, upgrade dampness maintenance, or increment the humus layer. Mulches control

the temperature variety in the plants' root zones, making soil become colder in summer or hotter in winter ^[21].

There are following ordering Strategies in Mulching ^[22]

- 1. Surface Mulching:** Mulches are spread on surface to decrease dissipation and increment soil dampness. Vertical Mulching: It includes opening of channels of 30 cm. profundity and 15 cm. width across the incline at vertical time frame cm.
- 2. Polythene Mulching:** Sheets of plastic are spread on the dirt surface between the harvest lines or around tree trunks.
- 3. Rock Mulching:** Soil is covered with stones to forestall move of intensity from climate.
- 4. Dust Mulching:** Interculture activity that makes dust that breaks constant vessels, and profound and wide breaks in this manner decreasing dissipation from the uncovered soil regions.
- 5. Live Vegetative Obstructions:** Subabul and Glyricidia when utilized as live vegetative hindrances on form key lines not just act as viable mulch when cut and spread on ground surface yet additionally supply nitrogen to the degree of 25 to 30 kg for every ha, other than further developing soil dampness status.

Discussion

In the current situation of globalization and wellbeing awareness interest for green yields has expanded world over. Unnecessary rivalry has not just constrained us to deliver all the more yet additionally to deliver quality organic products for supporting in the global market. Aside from utilizing high yielding assortments furthermore, great farming practices, there is a need to use natural/organic energy for higher creation. Mulching is one such cycle that can help us in creating quality food in amounts. In the days to come, ranchers will utilize this inventive procedure that assists them with monitoring dampness, stay away from weeds and further develop soil wellbeing enormously while creating more. This will likewise go far in the world accomplishing food security economically.

Acknowledgement

Authors would like to thanks SAGE University and Parul University for this research work.

Conflict of Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

References

- Chen B, Liu E, Mei X, Yan C, Garré S. Modelling soil water dynamic in rain-fed spring maize field with plastic mulching. *Agric. Water Manag.* 2018;198:19-27. [CrossRef]
- Li C, Wang C, Wen X, Qin X, Liu Y, Han J, *et al.* Ridge-furrow with plastic film mulching practice improves maize productivity and resource use efficiency under the wheat-maize double-cropping system in dry semi-humid areas. *Field Crops Res.* 2017;203:201-211. [CrossRef]
- Qin W, Chi B, Oenema O. Long-term monitoring of rainfed wheat yield and soil water at the loess plateau reveals low water use efficiency. *PLOS One.* 2013;8:e78828. [CrossRef], [PubMed], *Agronomy* 2022, 12, 1881-22 of 31
- Naeem M, Basit A, Ahmad I, Mohamed HI, Wasila H. Effect of salicylic acid and salinity stress on the performance of tomato. *Gesunde Pflanz.* 2020;72:393-402. [CrossRef]
- Ghonaim MM, Mohamed HI, Omran AAA. Evaluation of wheat salt stress tolerance using physiological parameters and retrotransposon-based markers. *Genet. Resour. Crop Evol.* 2021;68:227-242. [CrossRef]
- Turner NC, Meyer R. Synthesis of regional impacts and global agricultural adjustments. In *Crop Adaptation to Climate Change*; Yadav SS, Redden RJ, Hatfield JL, Lotze-Campen H, Hall AE, Ed; Wiley-Blackwell: Chichester, UK; c2011. p. 156-165.
- Siddique KHM, Johansen C, Turner NC, Marie-Hélène JMH, Hashem A, Sakar D, *et al.* Innovations in agronomy for food legumes: A review. *Agron. Sustain. Develop.* 2012;32:45-64. [CrossRef]
- Mohamed HI, Akladios SA. Influence of garlic extract on enzymatic and non-enzymatic antioxidants in soybean plants (*Glycine max*) grown under drought stress. *Life Sci. J.* 2014;11:46-58.
- El-Beltagi HS, Hashem FA, Maze M, Shalaby TA, Shehata WF, Taha NM. Control of gas emissions (N₂O and CO₂) associated with applied different rates of nitrogen and their influences on growth, productivity, and physio-biochemical attributes of green bean plants grown under different irrigation methods. *Agronomy.* 2022;12:249. [CrossRef]
- El-Beltagi HS, Ahmad I, Basit A, Shehata WF, Hassan U, Shah ST, *et al.* Ascorbic acid enhances growth and yield of sweet peppers (*Capsicum annum*) by mitigating salinity stress. *Gesunde Pflanz.* 2022;74:423-433. [CrossRef]
- Shalaby TA, Taha NA, Taher DI, Metwaly MM, El-Beltagi HS, Rezk AA, *et al.* Paclobutrazol improves the quality of tomato seedlings to be resistant to *Alternaria solani* Blight disease, Biochemical and histological perspectives. *Plants.* 2022;11:425. [CrossRef]
- Chalker-Scott L. Impact of mulches on landscape plants and the environment: A review. *J Environ. Hortic.* 2007;25:239-249. [CrossRef]
- Yu YY, Turner NC, Gong YH, Li FM, Fang C, Ge LJ, *et al.* Benefits and limitations to straw-and plastic-film mulch on maize yield and water use efficiency, a meta-analysis across hydrothermal gradients. *Eur. J Agron.* 2018;99:138-147. [CrossRef]
- Dr. Saini AK. Groundwater pollution, its causes, and enhancement by surface water pollution and prevention techniques. *Int. J Adv. Chem. Res.* 2022;4(2):346-350. DOI: 10.33545/26646781.2022.v4.i2e.132
- Adhikari R, Bristow KL, Casey PS, Freischmidt G, Hornbuckle JW, Adhikari B. Preformed and sprayable polymeric mulch film to improve agricultural water use efficiency. *Agric. Water Manag.* 2016;169:1-13. [CrossRef]
- Liu L, Xu M, Ye Y, Zhang B. On the degradation of (micro) plastics: Degradation methods, influencing factors, environmental impacts. *Sci. Total Environ.* 2022;806:151312. [CrossRef], [PubMed]
- Kasirajan S, Ngouajio M. Polyethylene and biodegradable mulches for agricultural applications: A

- review. *Agron. Sustain. Dev.* 2012;32:501-529. [CrossRef]
18. Brodhagen M, Peyron M, Miles C, Inglis DA. Biodegradable plastic agricultural mulches and key features of microbial degradation. *Appl. Microbiol. Biotechnol.* 2015;99:1039-1056. [CrossRef]
 19. Yang N, Sun Z, Feng L, Zheng M, Chi D. Plastic film mulching for water-efficient agricultural applications and degradable films materials development research. *Mater. Manuf. Process.* 2015;30:143-154. [CrossRef]
 20. Kader MA, Senge M, Mojid MA, Onishi T, Ito K. Effects of plastic-hole mulching on effective rainfall and readily available soil moisture under soybean (*Glycine max*) cultivation. *Paddy Water Environ.* 2017;15:659-668. [CrossRef]
 21. Wang YP, Li XG, Fu TT, Wang L, Turner NC, Siddique KHM, *et al.* Multi-site assessment of the effects of plastic-film mulch on the soil organic carbon balance in semiarid areas of China. *Agric. For. Meteorol.* 2016;228:42-51. [CrossRef]
 22. Yadahalli GS, Vidyavathi GY, Srinivasareddy GV. Mulching, One of the means to mitigate drought, *Agrobios Newsletter.* 2011;9(10):36-37.
 23. Patil Shirish S, Kelkar Tushar S, Bhalerao Satish A. Mulching: A soil and water conservation practice. *Research Journal of Agriculture and Forestry Sciences ISSN.* 2013;2320:6063.
 24. Kader MA, Senge M, Mojid MA, Ito K. Recent advances in mulching materials and methods for modifying soil environment. *Soil Tillage Res.* 2017;168:155-166. [CrossRef]